การไฟฟ้าฝ่ายผลิตแห่งประเทศไทย

REGISTRATION FORM

INVITATION TO BID NO. TS12-L-12

FOR <u>SUPPLY AND CONSTRUCTION FOR STRINGING 2nd CIRCUIT OF 115 kV BURI RAM - PRAKHON CHAI.</u>

115 kV SURIN 2 - SANGKHA, 115 kV ROI ET - PHON THONG AND 115 kV PHAYAKKHAPHUM PHISAI - SURIN

TRANSMISSION SYSTEM EXPANSION PROJECT NO. 12

AVAILABLE DURATION FOR PURCHASING <u>June 7, 2018</u> TO <u>July 6, 2018</u>
PRICE <u>USD 96.-</u> OR <u>THB 3,000.-</u>

COMPLETE DATA IS REQUIRED FOR THE BIDDER'S OWN BENEFITS

(โปรดกรอกรายละเอียดให้ครบถ้วนเพื่อประโยชน์ของบริษัท)

	ot and filled-out registration Form (in English) to receive the bidding documents at Transm ocurement Department (Room No. 1202/2, 12 th Floor, Building Tor. 101) Tel no. 02 436 (
FOR PURCHASER	TAX ID:	<u> </u>
NO. RECEIPT NO. :	DATE : PURCHASER (ผู้ซื้อ):	
BIDDER'S NAME		
(บริษัทผู้ซื้อเอกสาร)		
ADDRESS		
(ที่อยู่)	COUNTRY:	
ATTN. (ผู้รับผิดชอบ):	FAX NO.: TEL.:	
E-mail :	e-GP Registration Date :	
LOCAL REPRESENTATIVE		
(ตัวแทนในประเทศ)		
ADDRESS		
(ที่อยู่)	TAX ID:	
ATTN. (ผู้รับผิดชอบ):	FAX NO.: TEL.:	
E-mail :		
FOR PROCUREMENT OFFICER	CHANGE OF BIDDER'S NAME TAX ID:	
BIDDER'S LETTER NO. :	DATED:	
NEW BIDDER'S NAME		
(ชื่อผู้ซื้อเอกสารเปลี่ยนเป็น)		
ADDRESS		
(ที่อยู่)	COUNTRY:	
ATTN. (ผู้รับผิดชอบ):	FAX NO.: TEL.:	
E-mail :		
LOCAL REPRESENTATIVE		
(ตัวแทนในประเทศ)		
ADDRESS		
(ที่อยู่)	TAX ID:	
ATTN. (ผู้รับผิดชอบ):	FAX NO.: TEL.:	
E-mail :	e-GP Registration Date :	
FOR PROCUE	NT OFFICER FOR PURCHASER	
Procurement Officer (ผู้ส่งมอบเอกสาร)	Document received by (ผู้รับมอบเอกสาร)	
×		
	nent at Receivable Cashier Section (1st Floor, TOR 100 Bldg., Counter 4-8) Tel no. 02 436 s	 5512
FOR PURCHASER	TAX ID:	
BIDDER'S NAME		
(บริษัทผู้ซื้อเอกสาร)		
ADDRESS		
(ที่อยู่)		
BID NO. <u>TS12-L-12</u>	PRICE_USD 96 OR THB 3,000 DURATION FOR PURCHASING June 7, 2018 TO July 6, 2018	



INVITATION TO BID NO. TS12-L-12

SUPPLY AND CONSTRUCTION FOR STRINGING 2nd CIRCUIT OF 115 kV BURI RAM - PRAKHON CHAI, 115 kV SURIN 2 - SANGKHA, 115 kV ROI ET - PHON THONG AND 115 kV PHAYAKKHAPHUM PHISAI - SURIN

TRANSMISSION SYSTEM EXPANSION PROJECT NO. 12

The Electricity Generating Authority of Thailand (EGAT) is calling for the subject Invitation to Bid to be financed by EGAT's fund. The escalation factor (K) for price adjustment is applied to this Bid.

Place of Construction

: From Buri Ram Substation to Prakhon Chai Substation (approx. 48.30 kilometers)
From Surin 2 Substation to Sangkha Substation (approx. 43.50 kilometers)
From Roi Et Substation to Phon Thong Substation (approx. 40.30 kilometers)
From Phayakkhaphum Phisai Substation to Surin Substation (approx. 93 kilometers)

Medium Cost (including Value Added Tax and other expenses):

THB 107,000,000.- (excluding cost of the Dismantled Equipment to be purchased by Bidder)

Eligibility of Bidders

- 1. The Bidder shall be a juristic person who provides such services and shall not be named in the List of Work Abandoners published by the Office of Prime Minister and/or in the Debarment List and/or in the List of Work Abandoners declared by EGAT.
- 2. The Bidder shall neither fail to submit the Revenue and Expense Accounts nor fail to present proper and complete accounts under the Notification of National Anti-Corruption Commission Concerning Principles and Methods of Preparing Revenue and Expense Accounts of Project between Individual/Company and Government Agencies B.E. 2554 (A.D. 2011) issued on August 11, 2011 as amended from time to time ("the Notification").
- 3. The Bidder shall register for e-Government Procurement (e-GP) at Thai Government Procurement website (www.gprocurement.go.th at telephone No. 66 2127 7386 89) of the Comptroller General's Department of Thailand.
- 4. The Bidder shall not be a Jointly Interested Bidder with other Bidders as from the date of EGAT's issuance of the Invitation, or shall not be a person who undertakes any action as an "Obstruction of Fair Price Competition" for this Invitation.
- 5. The Bidder shall not either be EGAT's consultant or involve in EGAT's consultancy company under this Invitation to Bid, or shall not have EGAT's personnel involved in his business as shareholder having voting right that can control his business, director, manager, officer, employee, agent, or consultant except those who are officially ordered by EGAT to act or participate therein.
- 6. The Bidder shall not be the person who is privileged or protected not to be taken any legal proceedings under Thai Court; Provided that such Bidder's government declares that such special privilege is waived.
- 7. The Bidder who is a joint venture or consortium shall carry out all the work under such formation from the time of bidding until the fulfillment of the Contract.

Availability of Bidding Documents

Bidding Documents in CD-ROM will be available for examination of Bidder's Qualifications and purchase during 8:00 hrs. to 15:00 hrs., Bangkok Standard Time, as from June 7, 2018 to July 6, 2018 at USD 96.- or THB 3,000.- per copy, non-refundable, at the following address:

Transmission System Development Area Foreign Procurement Department (Room No. 1202/2, 12th Floor, Building Tor. 101)
Foreign Supply and Procurement Division
Electricity Generating Authority of Thailand
Bangkruai, Nonthaburi 11130, <u>Thailand</u>
Fax no. 66 2433 6317, 66 2433 5523, 66 2434 4064
Telephone no. 66 2436 0242

Felephone no. 66 2436 0242

E-mail: procurement.tse@egat.co.th

For more details and downloading Registration Form for purchasing Bidding Documents on website: http://www4.egat.co.th/fprocurement/biddingeng/

Payment can be made by a certified cheque or money order payable to EGAT or by a telegraphic transfer to EGAT's current account no. 109-6-01958-2 (swift code: KRTHTHBK), Krung Thai Bank Public Company Limited, Bangkruai Branch, Nonthaburi. All bank charges and fees incurred by the payment of bidding documents shall be under the buyer's responsibility.

Bidding Documents in CD-ROM will be either airmailed or airfreighted to the buyer at EGAT's expense upon receipt of the relevant remittance. In case the buyer requires the Bidding Documents to be sent by Express Mail Service (EMS), the charge will be at the buyer's expense.

Delivery of Bids

Bids shall be submitted at Room No. 1202/1, 12th Floor, Building Tor. 101 during 9:30 hrs. to 10:00 hrs., Bangkok Standard Time, August 16, 2018 and will be opened publicly at 10:00 hrs.

ELECTRICITY GENERATING AUTHORITY OF THAILAND

May 28, 2018

Wiland Usoipavapusit

(Mrs. Nilanate Osotpavapusit)
Chief, Transmission System Development Area
Foreign Procurement Department



ประกาศการไฟฟ้าฝ่ายผลิตแห่งประเทศไทย เรื่อง ประกวดราคาจ้าง เลขที่ TS12-L-12

การไฟฟ้าฝ่ายผลิตแห่งประเทศไทย (กฟผ.) มีความประสงค์จะจัดหาและจ้างก่อสร้างขึ้งสายส่งวงจรที่ 2 ของ สายส่ง 115 kV บุรีรัมย์ - ประโคนชัย สายส่ง 115 kV สุรินทร์ 2 - สังขะ สายส่ง 115 kV ร้อยเอ็ด - โพนทอง และสายส่ง 115 kV พยัคฆภูมิพิสัย - สุรินทร์ สำหรับโครงการขยายระบบส่งไฟฟ้าระยะที่ 12 โดยทำสัญญาแบบปรับราคาได้ (ค่า k) โดยใช้งบประมาณ กฟผ.

<u>สถานที่ก่อสร้าง</u>

จากสถานีไฟฟ้าแรงสูงบุรีรัมย์ ถึง สถานีไฟฟ้าแรงสูงประโคนชัย (ระยะทางประมาณ 48.30 กิโลเมตร) จากสถานีไฟฟ้าแรงสูงสุรินทร์ 2 ถึง สถานีไฟฟ้าแรงสูงสังขะ (ระยะทางประมาณ 43.50 กิโลเมตร) จากสถานีไฟฟ้าแรงสูงร้อยเอ็ด ถึง สถานีไฟฟ้าแรงสูงโพนทอง (ระยะทางประมาณ 40.30 กิโลเมตร) จากสถานีไฟฟ้าแรงสูงพยัคฆภูมิพิสัย ถึง สถานีไฟฟ้าแรงสูงสุรินทร์ (ระยะทางประมาณ 93 กิโลเมตร)

ราคากลาง (รวมภาษีมูลค่าเพิ่มและค่าใช้จ่ายอื่นๆ) :

107,000,000.- บาท (ไม่รวมราคาอุปกรณ์รื้อถอนที่กำหนดให้ผู้เสนอราคารับซื้อจาก กฟผ.)

คุณสมบัติของผู้เสนอราคา

- 1. ต้องเป็นนิติบุคคลผู้มีอาชีพรับจ้างตามประกวดราคาจ้างดังกล่าว และต้องไม่เป็นผู้ทิ้งงานซึ่งสำนักนายกรัฐมนตรีได้แจ้งเวียนชื่อไว้ หรือ ต้องไม่เป็นผู้ที่ กฟผ. ห้ามติดต่อหรือห้ามเข้าเสนอราคา หรือต้องไม่เป็นผู้ที่ได้รับผลของการสั่งให้นิติบุคคลหรือบุคคลอื่นเป็นผู้ทิ้งงาน ตามคำสั่ง กฟผ.
- ต้องไม่อยู่ในฐานะเป็นผู้ไม่แสดงบัญชีรายรับรายจ่าย หรือแสดงบัญชีรายรับรายจ่ายไม่ถูกต้องครบถ้วนในสาระสำคัญ ตามประกาศ
 คณะกรรมการป้องกันและปราบปรามการทุจริตแห่งชาติ เรื่อง หลักเกณฑ์และวิธีการจัดทำและแสดงบัญชีรายการรับจ่ายของโครงการ
 ที่บุคคลหรือนิติบุคคลเป็นคู่สัญญากับหน่วยงานของรัฐ พ.ศ. 2554 และที่แก้ไขเพิ่มเติม
- 3. ต้องเป็นนิติบุคคลที่ได้ลงทะเบียนในระบบอิเล็กทรอนิกส์ (e-Government Procurement : e-GP) ของกรมบัญชีกลางที่เว็บไซต์ ศูนย์ข้อมูลจัดซื้อจัดจ้างภาครัฐ (<u>www.gprocurement.go.th</u>) โทรศัพท์ หมายเลข 0 2127 7386 – 89
- 4. ต้องไม่เป็นผู้มีผลประโยชน์ร่วมกันกับผู้เสนอราคารายอื่น ณ วันประกาศประกวดราคาครั้งนี้เป็นต้นไป หรือต้องไม่เป็นผู้กระทำการ อันเป็นการขัดขวางการแข่งขันราคาอย่างเป็นธรรมในการดำเนินการประกวดราคาครั้งนี้
- 5. ต้องไม่เป็นที่ปรึกษาของ กฟผ. หรือมีส่วนร่วมในบริษัทที่ปรึกษาของ กฟผ. ในงานนี้ หรือต้องไม่มีผู้ปฏิบัติงาน กฟผ. เข้าไปมีส่วนร่วม ในกิจการของผู้เสนอราคา ไม่ว่าจะในฐานะผู้ถือหุ้นที่มีสิทธิควบคุมการจัดการ กรรมการ ผู้อำนวยการ ผู้จัดการ พนักงาน ลูกจ้าง ตัวแทน หรือที่ปรึกษา ยกเว้น ในกรณีที่ผู้ปฏิบัติงานได้รับคำสั่งอย่างเป็นทางการจาก กฟผ. ให้ไปปฏิบัติงานหรือเข้าร่วมในกิจการของผู้เสนอราคา
- ต้องไม่เป็นผู้ได้รับเอกสิทธิ์หรือความคุ้มกัน ซึ่งอาจปฏิเสธไม่ยอมขึ้นศาลไทย เว้นแต่รัฐบาลของผู้เสนอราคาได้มีคำสั่งให้สละสิทธิ์และ ความคุ้มกันเช่นว่านั้น
- 7. ผู้ประสงค์เข้าประกวดราคาในนามของกิจการร่วมค้า (Joint Venture or Consortium) จะต้องดำเนินการทุกขั้นตอนของการ ประกวดราคา ในนามของกิจการร่วมค้าตั้งแต่การเสนอราคาจนสิ้นสุดข้อผูกพันกับ กฟผ.

ปราการ 1020ของปฏา

การขายเอกสารประกวดราคา

ผู้สนใจติดต่อขอทราบรายละเอียด เพื่อตรวจสอบคุณสมบัติของผู้เสนอราคา และขอซื้อเอกสารประกวดราคา ในราคา ชุดละ 3,000.- บาท ได้ที่ แผนกจ้างงานวิศวกรรมระบบส่ง (ห้อง 1202/2 ชั้น 12 อาคาร ท.101) กองจัดหาต่างประเทศสายงาน พัฒนาระบบส่ง ฝ่ายพัสดุและจัดหาต่างประเทศ การไฟฟ้าฝ่ายผลิตแห่งประเทศไทย เชิงสะพานพระราม 7 จังหวัดนนทบุรี ในวันทำการ ระหว่างเวลา 08:00 น. ถึง 15:00 น. ตั้งแต่วันที่ 7 มิถุนายน 2561 ถึงวันที่ 6 กรกฎาคม 2561 หรือสอบถามทางโทรศัพท์ หมายเลข 0 2436 0242 หรืออีเมล์ procurement.tse@egat.co.th ทั้งนี้ สามารถ download แบบฟอร์มลงทะเบียนผู้ซื้อเอกสารประกวดราคาได้ ที่เว็บไซต์ http://www4.egat.co.th/fprocurement/biddingeng/

การยื่นซองประกวดราคา

กำหนดยื่นของประกวดราคา ในวันที่ 16 สิงหาคม 2561 เวลา 9:30 น. ถึง 10:00 น. และเปิดของประกวดราคาเวลา 10:00 น. ณ ห้อง 1202/1 ชั้น 12 อาคาร ท.101 การไฟฟ้าฝ่ายผลิตแห่งประเทศไทย เชิงสะพานพระราม 7 จังหวัดนนทบุรี

ประกาศ ณ วันที่ 28 พฤษภาคม 2561

Hoire Johnson's

(นางนิลเนตร โอสถภวภูษิต) หัวหน้ากลงจัดหาต่างประเทศสายงานพัฒนาระบบส่ง

ตารางแสดงวงเงินงบประมาณที่ได้รับจัดสรรและราคากลาง (ราคาอ้างอิง) ในการจัดซื้อจัดจ้างที่มิใช่งานก่อสร้าง

1. **ชื่อโครงการ** ประกวดราคาเลขที่ TS12-L-12

จัดหาและจ้างก่อสร้างขึ้งสายส่งวงจรที่ 2 ของสายส่ง 115 kV บุรีรัมย์ – ประโคนซัย สายส่ง 115 kV สุรินทร์ 2 – สังขะ สายส่ง 115 kV ร้อยเอ็ด – โพนทอง และสายส่ง 115 kV พยัคฆภูมิพิสัย -สุรินทร์

/หน่วยงานเจ้าของโครงการ ฝ่ายแผนงานและโครงการระบบส่ง การไฟฟ้าฝ่ายผลิตแห่งประเทศไทย

2. วงเงินงบประมาณที่ได้รับจัดสรร

โครงการขยายระบบส่งไฟฟ้าระยะที่ 12 งบประมาณ 60,000 ล้านบาท

- วันที่กำหนดราคากลาง 8 พฤษภาคม 2561 (วันที่ ชพสว. โดย อผค. อนุมัติ)
 ราคารวมภาษีมูลค่าเพิ่มและค่าใช้จ่ายอื่นๆ เป็นเงิน 107,000,000.- บาท ราคา/หน่วย ตามเอกสารแนบ
- 4. **แหล่งที่มาของราคากลาง** หลักเกณฑ์การกำหนดราคากลางงานจัดซื้อจัดจ้างสายงานพัฒนาระบบส่ง
- 5. รายชื่อเจ้าหน้าที่ผู้กำหนดราคากลาง

5.1 นายศุภกฤษ สุจารีรัตนพงษ์

รก. นวส-วข.

5.2 นายสมปอง บวรธีระกิจชัย

หปส-พส. กวส-พส.

5.3 นายอภินพ กุลวงศ์

วศ.8 หปส-พส. กวส-พส.

<u>หมายเหตุ</u> ค่าใช้จ[่]ายอื่นๆ ได้แก่ ค่าใช้จ่ายที่ กฟผ. ต้องจ่ายตามวิธีการพิจารณาเปรียบเทียบราคาที่กำหนด ไว้ในเอกสารประกวดราคา เช่น อากรขาเข้า เป็นต้น

Haines lownen Ar

มางนิลเนตร โอสถภวภูษิต กจตส-ห.

28 W.A. 2561

DETAILS OF THE MEDIUM COST FOR BID NO. TS12-L-12

SCHEDULE 1 ; Stringing 2nd Circuit of 115 kV Burl Ram - Prakhon Chai Transmission Line (48.3 km)

SCHEDULE 1: Stringing 2nd Circuit of 115 kV Buri Ram - Praktion C	nai i ransmission Line (48,3 km)
Description	Total
	(Baht)
1A : PRELIMINARY WORK	554,620.00
18 : TOWER FOUNDATIONS	2 322 600.00
IC : TOWERS	3,397,845.00
1D : INSULATOR STRING AND OVERHEAD GROUND WIRE ASSEMBLIES	6 494 722.50
1E : CONDUCTOR AND OVERHEAD GROUND WIRE	5 582 615.00
1F : LINE ACCESSORIES	390 825.00
1G : GROUNDING MATERIALS	28 352.00
1H : OPTICAL FIBER AND LINE ACCESSORIES	320,195.25
11: DISMANTLING WORK	9,504.00
1N : TEST OF EQUIPMENT	346 500.00
Total for Schedule 1	19,447,778.75
Adjusted Price (Import Duty & Tax + VAT)	1,361,344.52
Total Price Schedule 1	20,809,123.27

SCHEDULE 2: Stringing 2nd Circuit of 115 kV Surin 2 - Sangkha Transmission Line (43.6 km)

Description	Total (Baht)	
2A : PRELIMINARY WORK	478,500.00	
2C : TOWERS	88,000.00	
2D : INSULATOR STRING AND OVERHEAD GROUND WIRE ASSEMBLIES	5,536,492.50	
2E : CONDUCTOR AND OVERHEAD GROUND WIRE	4 900 538.50	
2F : LINE ACCESSORIES	627 441.00	
2H : OPTICAL FIBER AND LINE ACCESSORIES	7,803,751.50	
21 : DISMANTLING WORK	10 120.00	
2N ; TEST OF EQUIPMENT	157 500.00	
Total for Schedule 2	19,602,343.50	
Adjusted Price (Import Duty & Tax + VAT)	1,372,164.06	
Total Price Schedule 2	20,974,507.56	

SCHEDULE 3 : Stringing 2nd Circuit of 116 kV Rol Et - Phon Thong Transmission Line (40.3 km)

Description	Total	
	(Baht)	
3A : PRELIMINARY WORK	443,300.00	
3C : TOWERS	154,000.00	
3D : INSULATOR STRING AND OVERHEAD GROUND WIRE ASSEMBLIES	5,495,857.50	
SE : CONDUCTOR AND OVERHEAD GROUND WIRE	4,490,625.00	
3F : LINE ACCESSORIES	624,018.00	
3H : OPTICAL FIBER AND LINE ACCESSORIES	7,097,459.50	
31 : DISMANTLING WORK	18,480.00	
3K : LINE CONNECTION	231,990.50	
Total for Schedule 3	18,555,730.50	
Adjusted Price (Import Duty & Tax + VAT)	1,298,901.15	
Total Price Schedule 3	19,854,631.65	

SCHEDULE 4: Stringing 2nd Circuit of 115 kV Phayakkhaphum Phisai - Surin Transmission Line (93 km)

Description	Total
	(Baht)
4A : PRELIMINARY WORK	1,023,000.00
4C : TOWERS	118,800.00
4D : INSULATOR STRING AND OVERHEAD GROUND WIRE ASSEMBLIES	11,077,552.50
4E : CONDUCTOR AND OVERHEAD GROUND WIRE	10,336,875.00
4F : LINE ACCESSORIES	1,114,074.00
4H : OPTICAL FIBER AND LINE ACCESSORIES	15,933,384.00
41: DISMANTLING WORK	76,010.00
40 : SUPPLY OF SERVICE OF VEHICLES	3,575,000.00
Total for Schedule 4	43,254,695.50
Adjusted Price (Import Duty & Tax + VAT)	3,027,828.69
Total Price Schedule 4	46,282,524.19

Summary Price	100,860,548.25
Adjusted Price (Import Duty & Tax + VAT)	7,060,238.38
Total Price	107,920,786.63

p	
MEDIUM COST OF BID NO. TS12-L-12	107,000,000.00

ฟิอเนาร โอสถภวัภูษิต นางบิลเนตร โอสถภวัภูษิต กจตส-ห. 2 ปี พ.ศ. 2561

(บางสาวพบา สุภาวกุล) ควะ ๆ พ-ด 61 _{TS124-12}

DATA SHEET

for

Invitation to Bid No. TS12-L-12

This Section consists of provisions that are specific to each procurement and supplement the information or requirements included in Bidding Documents.

1. Article B-2. Bid Prices

The minimum proposed price including VAT for the dismantled Equipment shall be

- THB 19,000.- for Schedule 1
- THB 35,000.- for Schedule 2
- THB 34,000.- for Schedule 3
- THB 222,000.- for Schedule 4

2. Article B-3. Bid Security

The amount of bid security shall be USD 167,040.- or THB 5,350,000.-.

INVITATION TO BID NO. TS12-L-12 SUPPLY AND CONSTRUCTION FOR STRINGING 2nd CIRCUIT OF 115 kV BURI RAM - PRAKHON CHAI, 115 kV SURIN 2 SANGKHA, 115 kV ROI ET - PHON THONG AND 115 kV PHAYAKKHAPHUM PHISAI – SURIN

TRANSMISSION SYSTEM EXPANSION PROJECT NO.12

Invitation

The Electricity Generating Authority of Thailand (EGAT) hereby invites sealed bids for Supply and Construction for Stringing 2nd Circuit of 115 kV Buri Ram - Prakhon Chai, 115 kV Surin 2 - Sangkha, 115 kV Roi Et - Phon Thong and 115 kV Phayakkhaphum Phisai — Surin under Transmission System Expansion Project No.12 in accordance with the Terms and Conditions, Technical Specifications and Drawings described in these Bidding Documents.

Work Description

The scope of Work under this Invitation consists of four (4) Schedules as follows:

<u>Schedule 1 : Supply and Construction for Stringing 2nd Circuit of 115 kV</u> <u>Buri Ram - Prakhon Chai Transmission Line</u>

The Work to be performed under this Schedule is stringing of the 2nd circuit of 115 kV Buri Ram - Prakhon Chai Transmission Line which is 50 Hz, 3 phase, single conductor per phase on the existing double circuit self-supporting lattice steel towers extending from Buri Ram Substation to Prakhon Chai Substation in the northeastern region of Thailand with a distance of approximately 48.30 kilometers on the existing right-of-way having 12 meters in width on each side of the center line of the transmission line.

The dismantling Work of the existing 115 kV Buri Ram - Prakhon Chai Transmission Line with a distance of approximately 0.18 kilometer is also required under this Schedule.

<u>Schedule 2 : Supply and Construction for Stringing 2nd Circuit of 115 kV Surin 2 - Sangkha Transmission Line</u>

The Work to be performed under this Schedule is stringing of the 2nd circuit of 115 kV Surin 2 - Sangkha Transmission Line which is 50 Hz, 3 phase, single conductor per phase on the existing double circuit self-supporting lattice steel towers extending from Surin 2 Substation to Sangkha Substation in the northeastern region of Thailand with a distance of approximately 43.50 kilometers on the existing right-of-way having 12 meters in width on each side of the center line of the transmission line.

- 1/9 - TS12-L-12

The dismantling Work of the existing 115 kV Surin 2 – Sangkha Transmission Line with a distance of approximately 0.23 kilometer is also required under this Schedule.

<u>Schedule 3 : Supply and Construction for Stringing 2nd Circuit of 115 kV</u> <u>Roi Et - Phon Thong Transmission Line</u>

The Work to be performed under this Schedule is stringing of the 2nd circuit of 115 kV Roi Et - Phon Thong Transmission Line which is 50 Hz, 3 phase, single conductor per phase on the existing double circuit self-supporting lattice steel towers extending from Roi Et Substation to Phon Thong Substation in the northeastern region of Thailand with a distance of approximately 40.30 kilometers on the existing right-of-way having 12 meters in width on each side of the center line of the transmission line.

The dismantling Work of the existing 115 kV Roi Et - Phon Thong Transmission Line and the existing 115 kV Roi Et - Phayakkhaphum Phisai Transmission Line with a distance of approximately 0.90 and 0.20 kilometer respectively is also required under this Schedule.

<u>Schedule 4 : Supply and Construction for Stringing 2nd Circuit of 115 kV</u> Phayakkhaphum Phisai - Surin Transmission Line

The Work to be performed under this Schedule is stringing of the 2nd circuit of 115 kV Phayakkhaphum Phisai - Surin Transmission Line which is 50 Hz, 3 phase, single conductor per phase on the existing double circuit self-supporting lattice steel towers extending from Phayakkhaphum Phisai Substation to Surin Substation in the northeastern region of Thailand with a distance of approximately 93 kilometers on the existing right-of-way having 12 meters in width on each side of the center line of the transmission line.

The dismantling Work of the existing 115 kV Phayakhaphum Phisai - Surin Transmission Line with a distance of approximately 1.44 kilometer is also required under this Schedule.

The 477 MCM ACSR/GA (HAWK) conductor will be employed for the transmission line mentioned in Schedule 1 whereas the 795 MCM ACSR/GA conductor will be employed for the transmission lines mentioned in the other Schedules . Both types of the conductors will be supplied by EGAT.

The overhead ground wires to be employed for all Schedules will be 3/8 inch nominal diameter, high strength galvanized steel overhead ground wire and the composite overhead ground wire with 36-core optical fiber. Both types of overhead ground wires shall be supplied by the Contractor.

All dismantling Work shall be conducted in accordance with the requirements in Specifications No. TL-07 (Rev.3): <u>Dismantling Work</u>. All dismantled Equipment to be purchased by the Contractor has been listed in the Price Schedule and Attachment No. 2: <u>List of Equipment to be Dismantled by the Contractor</u>. The price offered for the purchase of such dismantled Equipment shall include value added tax. Conditions regarding the purchase of the dismantled Equipment are stipulated in Attachment No. 3: <u>Requirements for Dismantling Work and Conditions of Sale of Dismantled Equipment</u>.

Since the stringing of the 2nd circuit of all above-mentioned transmission lines shall be executed while the other circuit is being energized, the Contractor shall perform the said Work with full precaution in accordance with the requirements of the Specifications No. TL-06 (Rev.0): <u>Stringing of Conductor</u>, <u>Overhead Ground Wire and OPGW Parallel to Live Line</u> attached to the Bidding Documents as a guideline for conducting such Work.

All types of steel towers and foundations have already been designed by EGAT. Furthermore, detailed fabrication / erection drawings, stub & setting dimensions and details & bar bending schedules for all tower types will be provided to the Contractor by EGAT.

The Contractor shall note that the detailed fabrication / erection drawings for some tower leg extensions as well as stub & setting dimensions for some tower types may not be available. In such case, the Contractor shall perform and provide these drawings for EGAT's approval.

Detailed fabrication/ erection drawings of steel towers provided by EGAT will be furnished to the Contractor after Award of the Contract. The Contractor shall carefully scrutinize EGAT's furnished detailed fabrication/ erection drawings, make minor modifications as necessary and submit all revised drawings to EGAT for review and approval. The full responsibility for adequacy and accuracy of all detailed drawings shall rest with the Contractor and he shall have no right to claim for additional compensation as a result of his misinterpretation or failure to check the drawings for compliance with the design requirements, inaccuracies, errors and omissions.

Reproducible drawings and CD-ROM of EGAT's furnished detailed fabrication / erection drawings of steel towers will not be required. The approved drawings, reproducible drawings and CD-ROM of these steel towers required to be submitted for this Contract shall therefore be bill of material. However, in case the Contractor makes modifications to EGAT's furnished detailed fabrication / erection drawings of steel towers or prepares drawings of which leg extensions and/or stub & setting dimensions are not available, such drawings shall be submitted for EGAT's approval and therefore reproducible drawings and CD-ROM of these drawings shall be required.

Furthermore, the Bidders shall note that the structural design drawings for all types of towers attached in these Bidding Documents are for reference only. Shackles for tower attachment shall be supplied by the Contractor. In case the Contractor makes modifications for tower attachment or other details of Work, such modifications shall be under the Contractor's responsibility.

The Contractor shall also be responsible for the design of any other necessary parts for completion of the Work, including the manufacture, supply, testing, construction and installation of the various components of the transmission line. The portion of design and detailing which are provided by EGAT is not under the Contractor's design responsibility.

Services required to complete the Work are shown in the Bid Price Schedules and included in these Bidding Documents.

- 3/9 - TS12-L-12

Eligibility of Bidders: General Requirements

All Bidders shall meet the following requirements; failure to so comply shall constitute sufficient ground for rejection.

- a. The Bidder shall be a partnership, firm or company, either alone or in joint venture or in consortium.
- b. The Bidder shall be well-established and maintain a permanent place of business.
- c. The Bidder shall not be, or supply the Equipment, from the country under the state of Civil War.
- d. The Bidder shall not be named in the List of Work Abandoners published by the Office of the Prime Minister and/or in the Debarment List and/or in the List of Work Abandoners declared by EGAT.
- e. The Bidder shall be a juristic person who neither fails to submit the Revenue and Expense Accounts nor fails to present proper and complete accounts to the Revenue Department of Thailand, in accordance with the Notification of the National Anti-Corruption Commission Concerning Principles and Methods of Preparing Revenue and Expense Accounts of Project between Individual/Company and Government Agencies B.E. 2554 (A.D. 2011) as amended from time to time ("the Notification").
- f. The Bidder shall be a juristic person who registers for e-Government Procurement (e-GP) at Thai Government Procurement website (www.gprocurement.go.th at telephone No. 662 1277386 89) of the Comptroller General's Department of Thailand.
 - Due to the fact that the e-GP system is not ready for registration for foreign Bidders who have no taxpayer identification number at this moment, foreign Bidders are, therefore, temporarily released from this qualification. However, whenever the e-GP system is ready, all foreign Bidders shall register in the e-GP system.
- g. The Bidder shall not be a Jointly Interested Bidder with other Bidders as from the date of EGAT's issuance of the Invitation to Bid, or shall not be a person who undertakes any action as an "Obstruction of Fair Price Competition" as defined in Additional Regulation for this Invitation.
- h. The Bidder shall not either be EGAT's consultant or involving in EGAT's consultancy company under this Invitation, or have EGAT's personnel involved in his business as shareholder having voting right that can control his business, director, manager, officer, employee, agent or consultant except the ones who are officially ordered by EGAT to act or participate therein.

- 4/9 - TS12-L-12

- i. The Bidder shall not be the person who is privileged or protected not to be taken any legal proceedings under Thai Court; provided that such Bidder's government declares that such special privilege is waived.
- j. In case of being a joint venture or a consortium, the Bidder shall carry out all the Work under such formation from the time of bidding until the fulfillment of the Contract.
- k. The Bidder shall have purchased the Bidding Documents from EGAT as described under Article A-7. <u>Availability of Bidding Documents</u>. For a joint venture or consortium, only one member of the joint venture or consortium is required to purchase the Bidding Documents.

All Bidders should preferably meet the following requirements; failure to so comply may constitute sufficient ground for rejection.

- a. The Bidder shall have adequate funds to meet financial obligations incidental to this Contract.
- b. The Bidder shall supply documentary evidence established in accordance with Article B-8. <u>Information to be Submitted with Bid</u> to demonstrate adequately that he is eligible to bid and is qualified to perform the Contract if his bid is accepted. Bidder should also demonstrate his capacity to perform the Work either with or without the use of subcontractor.

Eligibility of Bidders: Technical Requirements

- I. All Bidders shall meet the following requirements; failure to so comply shall constitute sufficient ground for rejection.
 - a. Himself, or either firm of the joint venture/consortium, having a record of experience in executing at least one (1) turnkey contract as contractor (not as subcontractor) in overseas country (not his own country) or with EGAT on the construction and installation of transmission line having voltage level similar to or higher than the Work specified under this Invitation.

However, the following cases are eligible to the requirement under this Item:

- 1) Having a record of experience in executing at least one (1) turnkey contract as contractor (not as subcontractor) with its overall performance satisfactory to other electricity authorities in Thailand on overhead transmission line at a voltage level of 115 kV or higher is eligible for the requirement for the Work of supply and construction of 115 kV transmission line.
- 2) Having a record of experience in executing at least one (1) turnkey contract as contractor (not as subcontractor) with EGAT on transmission line at a voltage level of 115 kV is eligible for the requirement for the Work of supply and construction of 230 kV transmission line.

Experience record of the Bidder or either firm of the joint venture/consortium, including experience record derived from being a firm of other joint venture or consortium in previous project(s) is acceptable.

b. Himself, or either firm of the joint venture/consortium or the combination thereof, having excellent reputation and adequate technical knowledge and record(s) of experience on the construction of transmission line having voltage level similar to or higher than the work specified under this Invitation and having accumulative circuit distance not less than 50 kilometers or not less than the Work specified under this Invitation.

Further to the case mentioned in a.1), the Bidder himself, or either firm of the joint venture/consortium, each having an experience of at least two (2) contracts on the construction of 115 kV transmission line with their overall performance satisfactory to other electricity authorities in Thailand is required. Moreover, accumulative circuit distance of not less than 50 kilometers is required to be eligible for this Item.

However, it is allowed to combine the record(s) of circuit distance in the construction of 115 kV transmission line(s) of each firm of the joint venture/consortium in order to meet the requirements of this item.

Further to the case mentioned in a.2), an experience with EGAT on the construction of 115 kV transmission line having accumulative circuit distance not less than 50 kilometers is required to be eligible for this Item.

- c. Himself, or either firm of the joint venture/consortium, or his subcontractor or the combination thereof, having adequate technical knowledge and practical experience in stringing of line conductors or overhead ground wire or OPGW parallel to a live line. This eligibility will be applicable in case that scope of work under this Invitation requires stringing of circuit conductor, overhead ground wire and/or OPGW on towers on which the other circuit conductor is under energizing condition while performing such work.
- d. Himself, or either firm of the joint venture/consortium or his subcontractor or the combination thereof, having excellent reputation and adequate technical knowledge and having at least three years experience in the construction of transmission line having accumulative distance of overhead ground wire with optical fiber not less than 20 kilometers in length. This eligibility will not be applicable if such Equipment is not required under this Invitation.

With respect to item b., c., and d., experience record of the Bidder or either firm of the joint venture/consortium, including experience record derived from being a firm of other joint venture or consortium in previous project(s) is acceptable, provided that there is a letter from the project owner certifying that the Works as described in b., c., and d. above were performed by the Bidder or either firm of the joint venture/consortium of this project.

However, reference records of either the parent or affiliated companies of the Bidder or of either firm of the joint venture/consortium shall not be acceptable. If the Bidder is a new company formed by acquisition of or

merger with other companies or business units before submitting the Bid, the experience records of any of such previous companies or business units that meet the requirements set forth herein are acceptable as the experience records of the Bidder.

- e. Proposing towers, conductor, insulators, hardware assemblies and line accessories for conductor, dampers and spacer dampers for conductor, composite overhead ground wire with optical fiber (OPGW) and fiber optic transmission system Equipment manufactured by regular manufacturers of excellent reputation having significant technical knowledge and at least three (3) years experience in the design, manufacture and testing of such Equipment, having manufacturing capacity available to perform the Work properly and expeditiously within the time specified, and having satisfactory past experience, with additional requirements as follows:
 - 1) Tower manufacturer being an eligible local firm having set up a plant for fabrication of steel towers in Thailand.
 - 2) Insulator manufacturer having a record of a minimum three (3) consecutive years of successful operation/use of at least 10,000 units of insulators of the same or similar ANSI class as those required under this Invitation in any one transmission line operating in the transmission network electric utility in overseas country (not his own country) at a voltage level similar to or higher than the Work under this Invitation during the last ten years.
 - 3) Composite overhead ground wire with optical fiber (OPGW), and fiber optic transmission system Equipment manufacturers having a record of at least three (3) consecutive years of successful operation/use of the same or similar type as those required under this Invitation in the transmission line having accumulated distance of not less than 20 kilometers.

If the manufacturer is a new company formed by acquisition of or merger with other companies or business units, and any of such previous companies or business units has the experience records that meet the requirements set forth herein, such experience records are acceptable as the experience records of the new company, provided that each item of the Equipment to be supplied under this Bid shall be manufactured from the same source of supply as indicated in each of such relevant supply records as described in Item I.e.1) thru I.e.3) above. Otherwise, it shall not be acceptable and shall be sufficient grounds for rejection.

For the avoidance of doubt, it is not allowed to combine the experience records of the previous companies or business units in order to meet the experience requirements.

However, the Bidder may propose any qualified local manufacturer who does not have experiences in design, manufacture and testing as well as a record of successful operation/use of his Equipment as specified above but has obtained special permission from EGAT for manufacture and/or fabrication of the specific Equipment within the scope specified in the

letter of permission issued by EGAT, or propose any local manufacturer who is in the list of Eligible Local Manufacturers Accepted by EGAT as shown herein at the end of this Section.

In the event that the Bidder proposes the Equipment of the manufacturer who, at the time of bidding, fails to meet requirements of any contract(s) with EGAT regarding major defects or malfunctioning of such Equipment and such failure has not yet satisfactorily been proved to and/or settled with EGAT, EGAT reserves the right to reject his Bid.

The eligibility will not be applicable for any Equipment which is not required under this Invitation.

II. All Bidders should preferably meet the following technical requirements; failure to so comply may constitute sufficient ground for rejection.

- a. Having sufficient capacity to carry out the Work.
- b. Proposing overhead ground wire, hardware assemblies and line accessories for overhead ground wire and OPGW, grounding materials, and other Equipment manufactured by regular manufacturers of excellent reputation having significant technical knowledge and at least three (3) years experience in the design, manufacture and testing of such Equipment, having manufacturing capacity available to perform the Work properly and expeditiously within the time specified, and having satisfactory past experience, with additional requirements as follows:
 - Manufacturers for overhead ground wire, and hardware assemblies and line accessories (except damper) for OPGW being an eligible local firm having set up a plant in Thailand.

If the manufacturer is a new company formed by acquisition of or merger with other companies or business units, and any of such previous companies or business units has the experience records that meet the requirements set forth herein, such experience records are acceptable as the experience records of the new company, provided that each item of the Equipment to be supplied under this Bid shall be manufactured from the same source of supply as indicated in each of such relevant supply records.

For the avoidance of doubt, it is not allowed to combine the experience records of the previous companies or business units in order to meet the experience requirements.

However, the Bidder may propose any qualified local manufacturer who does not have experience in design, manufacture and testing as well as a record of successful operating/use of his Equipment as specified above but has obtained special permission from EGAT for manufacture and/or fabrication of the specific Equipment within the scope specified in the letter of permission issued by EGAT, or propose any local manufacturer who is in the list of Eligible Local Manufacturers Accepted by EGAT as shown herein at the end of this Section.

- 8/9 - TS12-L-12

In the event that the Bidder proposes the Equipment of the manufacturer who, at the time of bidding, fails to meet the requirements of any contract(s) with EGAT regarding major defects or malfunctioning of such Equipment, and such failure has not yet satisfactorily been proved to and/or settled with EGAT, EGAT reserves the right to reject his Bid.

The eligibility will not be applicable for any Equipment which is not required under this Invitation.

- c. Proposing reputable subcontractors, for the portion of the Work to be subcontracted, having adequate technical knowledge, ability and capacity and practical experience to perform such work. If any proposed subcontractor(s) is(are) not qualified in the opinion of EGAT, the Bidder is required to select other subcontractor(s) at his own cost to the satisfaction of EGAT.
- d. Having no just or proper claims pending against him with respect to breach in the performance of Contract on other similar works awarded by EGAT. If Bidder is a new company formed by acquisition of or merger with other companies or business units, the pending claim of any of such previous companies or business units shall be considered pending claim of the Bidder.
- e. Himself or his subcontractors, at the time of submitting this proposal, not carrying excessive work or not being in a default position with respect to work with EGAT. Unsatisfactory past performance on contract awarded by EGAT may be a sufficient reason of being disqualified.

Reference records of either the parent or affiliated companies shall not be considered as the records of such Bidder or manufacturers.

- 9/9 - TS12-L-12

ELIGIBLE LOCAL MANUFACTURERS ACCEPTED BY EGAT

The following local manufacturers are eligible for proposing each specific equipment for this Invitation; provided that the scope of their offerings shall be within that specified in the Certificate of Acceptance issued by EGAT.

1) STEEL TOWERS

Ajikawa & SCI Metal Tech Co., Ltd.

49/1 Moo 9, Marppong Phantong Chonburi 20160 Tel: 038 451 473-6

Fax: 038 451 478

Siam Steel Tower Co., Ltd.

9/10 Moo 10 Tambol Koke-Yae Amphur Nong Khae Saraburi 18230, Thailand Tel: (662) 705-8755-63

Fax: (662) 705-8765

Thai-Scandic Steel Company Limited

7 I-5 Road, Maptaphut Industrial Estate Amphur Muang Rayong 21150 Tel: (66-38) 683070

Fax: (66-38) 683070

UA WITHYA PUBLIC COMPANY LIMITED

247 Romklao Road Saensaeb Minburi, Bangkok 10510 Thailand

Tel: 662-543-9020-8

Fax: 662-915-2114, 915-2714, 543-9029

Demco Power Company Limited

59 Moo 1, Suanphrikthai Muangpathumthani Pathumthani 12000

Tel: 0 2959 5811 Ext.1612

Fax: 0 2959 5915

tse เอกสารควบคม

4-

2) HARDWARE ASSEMBLIES AND LINE ACCESSORIES FOR CONDUCTOR, OVERHEAD GROUND WIRE AND OPGW

Preformed Line Products (Thailand) Ltd.

296 Moo 4, Lardkrabang Industrial Estate EPZ 3 Chalongkrung Road Lumpratew, Lardkrabang Bangkok 10520

Tel: 0 2739 4026 Fax: 0 2326 0564

- (For 1. Hardware assemblies and line accessories (except damper) for single, twin-bundled and quad-bundled conductor for 115 kV, 230 kV and 500 kV transmission lines
 - 2. Hardware assemblies and line accessories (except damper) for overhead ground wire and OPGW
 - 3. Vibration dampers for conductor, overhead ground wire and OPGW
 - Spacer dampers and rigid spacers for twin-bundled and quadbundled conductor for 115 kV, 230 kV and 500 kV transmission lines)

MacLean - Dulhunty Power (Thailand) Ltd.

3/2 Moo 7 Suwintawong Road Tambon Klongluangphang Amphur Muang Chachoengsao Chachoengsao 24000

Tel: 038 845 675 Fax: 038 845 674

- (For 1. Hardware assemblies and line accessories (except damper) for single, twin-bundled and quad-bundled conductor for 115 kV, 230 kV and 500 kV transmission lines
 - 2. Hardware assemblies and line accessories (except damper) for overhead ground wire and OPGW
 - Vibration dampers for conductor, overhead ground wire and OPGW
 - Spacer dampers and rigid spacers for twin-bundled and quadbundled conductor for 115 kV, 230 kV and 500 kV transmission lines)

Mosdorfer (Thailand) Co., Ltd.

94 T, Shinnawatra Building 3rd floor, Sukhumvit Soi 23 Klong Toey Nua, Wattana Bangkok 10110

Tel: 0 2706 6717 Fax: 0 2706 6716

- (For 1. Hardware assemblies and line accessories (except damper) for single, twin-bundled and quad-bundled conductor for 115 kV and 230 kV transmission lines
 - Hardware assemblies and line accessories (except damper) for overhead ground wire and OPGW

- 3. Vibration dampers for conductor, overhead ground wire and **OPGW**
- 4. Spacer dampers and rigid spacers for twin-bundled and quadbundled conductor for 115 kV and 230 kV transmission lines)

3) **OVERHEAD GROUND WIRE**

Thai Wire Products Public Company Limited

99/2 MOO 8 ZEER STREET BUILDING 7TH FL Phahonyothin Road, Lamlookka Pathum Thani 12130

Tel: 0 2992 6863-7 Fax: 0 2992 6870-1

USHA Siam Steel Industries Public Company Limited

209/1 K-Tower-B, 22nd Floor Unit 3/1 Sukhumvit 21 Road (Asok) Bangkok 10110

Tel: 0 2261 7361-4 Fax: 0 2640 8227

Charoong Thai Wire & Cable Public Company Limited

589/71 Central City Tower Floor 12A, Bangna -Trad Road Bangna, Bangna District Bangkok 10260

Tel: 0 2745 6118 Fax: 0 2745 6131-32

4) **GROUNDING MATERIALS**

K.M.L. Technology Co., Ltd.

100/3 Thasabansongkrow Road Ladyao, Jatujak Bangkok 10900

Tel: 0 2954 3455 Fax: 0 2591 7891

5) CONDUCTOR

Bangkok Cable Co., Ltd.

187/1 Rajdamri Road Lumpinee, Pathumwan Bangkok 10330

Tel: 0 2254 4550-6

Fax: 0 2253 5973, 0 2253 6028, 0 2254 3859

Charoong Thai Wire & Cable Public Company Limited

589/71 Central City Tower Floor 12A, Bangna -Trad Road Bangna, Bangna District Bangkok 10260

Tel: 0 2745 6118 Fax: 0 2745 6131-32

- 3 -

Phelps Dodge International (Thailand) Limited

16th Floor, Maneeya Center Building 518/5 Ploenchit Road Lumpinee, Pathumwan Bangkok 10330

Tel: 0 2652 0588, 0 2680 5862

Fax: 0 2680 5896

Thai-Yazaki Electric Wire Co., Ltd.

27th Floor,Two Pacific Place Building 142 Sukhumvit Road Klongtoey District Bangkok 10110

Tel: 0 2653 2550, 0 2463 0058 Ext. 342

Fax: 0 2463 6364, 0 2463 6354-5

Venine Cable Electric Wire Company Limited

88/8-9 Moo 2 Ladbualuang-Maitra Rd. Ladbualuang, Ladbualuang, Ayutthaya 13230

Tel: 0 3528 0493 Fax: 0 3528 0494

6) NON-METALLIC OPTICAL FIBER CABLE (OFC)

Thai China Fiber Optics Co., Ltd.

488 Soi Ratchadapisek 26, Samsennog, Huaykwang, Bangkok 10310

Tel: 0 2975 9901 Fax: 0 2975 9925

Thai Fiber Optics Co., Ltd.

233 Moo 6, Soi Watchangrueng, Suksawat Road, Naiklongbangplakot, Phrasamutchedi, Samutprakarn 10290

Tel: 0 2817 5590-3 Fax: 0 2817 5311

HBC Telecom Co., Ltd.

187/1 Rajadamri Road, Lumpinee, Pathumwan Bangkok 10330

Tel: 0 2650 5002 To 3 Ext.111,112

Fax: 0 2651 9261

Siam Fiber Optics Co., Ltd.

Floor 12 A, Central City Tower 589/71 Bangna-Trad Road, Km.3 Bangna, Bangna, Bangkok 10260

Tel: 0 2745 6118-30 Fax: 0 2745 6575

tse เอกสารควบคุม

SECTION H ATTACHMENTS

Attachment No. 1

: List of Equipment to be Furnished by EGAT

Attachment No. 2

: List of Equipment to be Dismantled by the Contractor

Attachment No. 3

: Requirements for Dismantling Work and Conditions

of Sale of Dismantled Equipment

ATTACHMENT NO. 1

LIST OF EQUIPMENT TO BE FURNISHED BY EGAT

The Equipment listed herein shall be furnished by EGAT in Bangkok and/or its vicinity, at the point to be designated by EGAT as soon as possible after the Award of the Contract. Any Equipment not listed herein but required for construction for completion of the Work shall be furnished by the Contractor at his own expenses.

<u>Item</u>	<u>Description</u>	Estimated Quantity
1.	477 MCM ACSR/GA (HAWK) Conductor as per Schedule 1E Item 1E1.1	149.60 km
2.	795 MCM ACSR/GA Conductor as per Schedule 2E Item 2E1.1	133.20 km
3.	795 MCM ACSR/GA Conductor as per Schedule 3E Item 3E1.1	123.30 km
4.	795 MCM ACSR/GA Conductor as per Schedule 3K Item 3K1.1	0.90 km
5.	795 MCM ACSR/GA Conductor as per Schedule 4E Item 4E1.1	284.40 km

Note:

- 1. The estimated quantity of conductor shown above is an approximate amount. The actual quantity of conductor to be furnished by EGAT will be in accordance with the actual horizontal distance of the section to be installed after checking survey and staking have been performed, <u>Plus a Fixed extra of 1.5 percent</u> to cover sag, terrain irregularities and wastage.
- 2. The conductor furnished will have characteristics as specified in Specifications No. C-2 (Revision 6), Section B: Circuit Conductors.

ATTACHMENT NO. 2

LIST OF EQUIPMENT TO BE DISMANTLED BY THE CONTRACTOR

The following are the Equipment to be dismantled under this Contract. Types and quantities shown are approximate and provided as primary information. The Bidder shall be deemed to have carefully examined the exact quantities for his quotation of dismantling services and prices offered for purchasing the said Equipment.

<u>Item</u>	Description	Estimated Quantity		
Part 1:	115 kV Buri Ram - Prakhon Chai Transmission Line (The dismantled Equipment as listed below shall be purchased by the Contractor)			
1.1	Hardware Assemblies Single string tension insulator assemblies Single string tension inverted insulator assemblies Overhead ground wire tension assemblies	7 5 7	sets sets sets	
1.2	Line Accessories Vibration damper for conductor Vibration damper for overhead ground wire	3	sets sets	
1.3	Insulator Insulator ANSI CLASS 52-3 (15,000 lbs)	132	discs	
1.4	477 MCM ACSR/GA Conductor	0.55	km	
1.5	3/8 " high strength galvanized steel overhead ground wire	0.08	km	
1.6	Composite overhead ground wire with 36-core optical fiber	0.1	km	
Part 2:	115 kV Surin 2 - Sangkha Transmission Line (The dismantled Equipment as listed below shall be purchased by the Contractor)			
2.1	Hardware Assemblies Single string tension insulator assemblies	6	sets	
2.2	Line Accessories Vibration damper for conductor	6	sets	
2.3	Insulator Insulator ANSI CLASS 52-3 (15,000 lbs)	66	discs	
2.4	795 MCM ACSR/GA Conductor	0.7	km	

<u>Item</u>	Description	Estimated Quantity		
Part 3:	115 kV Roi Et - Phon Thong Transmission Line (The dismantled Equipment as listed below shall be purchased by the Contractor)			
3.1	Hardware Assemblies Overhead ground wire suspension assemblies Overhead ground wire tension assemblies	2 2	sets sets	
3.2	Line Accessories Vibration damper for overhead ground wire	3	sets .	
3.3	3/8 " high strength galvanized steel overhead ground wire	0.9	km	
Part 4:	115 kV Roi Et - Phayakkhaphum Phisai Transmission Line (The dismantled Equipment as listed below shall be purchased by the Contractor)			
4.1	Hardware Assemblies Single string tension insulator assemblies	12	sets	
4.2	Line Accessories Vibration damper for conductor Vibration damper for overhead ground wire	9 1	sets set	
4.3	Insulator Insulator ANSI CLASS 52-3 (15,000 lbs)	132	discs	
4.4	795 MCM ACSR/GA Conductor	0.609	km	
4.5	3/8" high strength galvanized steel overhead ground wire	0.2	km	
Part 5:	115 kV Prayakkhaphum Phisai - Surin Transm (The dismantled Equipment as listed below shall the Contractor)		y	
5.1	Hardware Assemblies Bypass string suspension insulator assemblies Single string tension insulator assemblies Overhead ground wire tension assemblies	6 42 14	sets sets sets	
5.2	Line Accessories Vibration damper for conductor Vibration damper for overhead ground wire	42 7	sets sets	

<u>Item</u>	<u>Description</u> <u>Esti</u>		Estimated Quantity	
5.3	Insulator Insulator ANSI CLASS 52-3 (15,000 lbs)	510	discs	
5.4	795 MCM ACSR/GA Conductor	4.35	km	
5.5	3/8 " high strength galvanized steel overhead ground wire	1.44	km	

ATTACHMENT NO. 2 -3- TS12-L-12

ATTACHMENT NO. 3

REQUIREMENTS FOR DISMANTLING WORK AND

CONDITIONS OF SALE OF DISMANTLED EQUIPMENT

The requirements for Dismantling Work and Conditions of Sale of Dismantled Equipment shall apply to this Invitation to Bid.

1. Scope of Dismantling Work

The scope of dismantling work shall be as listed in the Price Schedule, which covers the provisions of dismantling and a portion of dismantled Equipment returned to EGAT and dismantling with conditions for the Contractor to purchase the dismantled Equipment, as the case may be, and shall be in accordance with Specifications No. TL-07 (Rev. 3) <u>Dismantling Work</u>.

2. Responsibility of Contractor

The Contractor shall be deemed to have carefully inspected and examined all of the conditions and circumstances of the Equipment as appearing in the existing transmission line to be dismantled under this Contract. EGAT will not be responsible for any defect, imperfection or fault of such Equipment.

For dismantled Equipment to be purchased by the Contractor, the Contractor shall, not later than fifteen (15) Days before the day of de-energizing for the dismantling work, pay the value added tax collectible on the payment for the dismantled Equipment to be sold to the Contractor to EGAT. Upon payment of the value added tax by the Contractor to EGAT, EGAT will issue a tax invoice to the Contractor. Ownership of the Equipment to be dismantled shall be transferred to the Contractor when the transmission line is de-energized for the dismantling work.

In the event that the Contractor shall return a portion of the dismantled Equipment to EGAT, the ownership of the dismantled Equipment is the property of EGAT, but this shall not be construed as relieving the Contractor from the sole responsibility as provided under this Contract for the care, protection, and maintenance of the Equipment. The Contractor shall be responsible for any loss or damages of the Equipment until acceptance has been made by EGAT. The submission of the dismantled Equipment to EGAT shall be performed upon completion of each dismantling portion as scheduled.

3. Payment

Ninety (90) per cent of the amount and the adjusted amount due, if any, for the dismantling work will be paid by EGAT to the Contractor after the date of completion of the dismantling work and in case of the returned dismantled Equipment to EGAT after the dismantled Equipment has been delivered at the site(s) specified and acceptance has been made by EGAT.

In case the scope of the Contract requires the Contractor to purchase any item of dismantled Equipment, payment for cost of dismantled Equipment shall be made by the Contractor as scheduled in the Contract Documents regardless of the actual dismantling to be incurred. In case no schedule is set forth, payment shall be made as soon as possible but not later than two (2) Months after completion of each portion of dismantling work. In case no payment is made within the aforementioned period, EGAT reserves the right to claim directly from the Contractor or from the Performance Security or the Maintenance Security, as the case may be, or deduct or set off from any and all money due to the Contractor under this Contract for the amount together with interest at the rate of Minimum Overdraft Rate (MOR) plus two (2) per cent calculated from the due date up to the date the payment is made in full.